




## **SOLAR GARDEN LIGHT**

- **SOLAR LAWN LIGHT**
- **SOLAR POST LIGHT**
- **SOLAR PILLAR LIGHT**
- **SOLAR WALL LIGHT**

[www.melanasolar.com](http://www.melanasolar.com)


# SOLAR LAWN LIGHT

## MLS-001



| MLS-001/80 | MLS-001/60 | MLS-001/30 |
|------------|------------|------------|
|------------|------------|------------|

| MODEL           | MLS-001                 |
|-----------------|-------------------------|
| Solar panel     | 4.5W/5V, MONO           |
| LiFePO4 battery | 6AH/3.2V                |
| LED light       | 5W, SMD2835, 500LM      |
| CCT.            | 3000/4000/6000K         |
| Charge time     | 5-8H                    |
| Lighting mode   | Constant                |
| Water proof     | IP65                    |
| Material        | Die-casting aluminum+PC |
| Size            | Φ230*H300/600/800mm     |







# SOLAR LAWN LIGHT MLS-001B



MLS-001B/40

MLS-001B/60

MLS-001B/80



| MODEL           | MLS-001B                |
|-----------------|-------------------------|
| Solar panel     | 5W/5V, MONO             |
| LiFePO4 battery | 6AH/3.2V                |
| LED light       | 5W, SMD2835, 500LM      |
| CCT.            | 3000/4000/6000K         |
| Charge time     | 5-8H                    |
| Lighting mode   | Constant                |
| Water proof     | IP65                    |
| Material        | Die-casting aluminum+PC |
| Size            | Φ200*H400/600/800mm     |



# SOLAR LAWN LIGHT MLS-002



**MLS-002/85**




**MLS-002/65**



**MLS-002/35**

| MODEL           | MLS-002                 |
|-----------------|-------------------------|
| Solar panel     | 4.5W/5V, MONO           |
| LiFePO4 battery | 8AH/3.2V                |
| LED light       | 5W, SMD2835, 500LM      |
| CCT.            | 3000/4000/6000K         |
| Charge time     | 5-8H                    |
| Lighting mode   | Constant                |
| Water proof     | IP65                    |
| Material        | Die-casting aluminum+PC |
| Size            | Φ260*H350/650/850mm     |







## SOLAR LAWN LIGHT MLS-003




**MLS-003/85**

**MLS-003/65**

**MLS-003/35**



| MODEL           | MLS-003                 |
|-----------------|-------------------------|
| Solar panel     | 4.5W/5V, MONO           |
| LiFePO4 battery | 8AH/3.2V                |
| LED light       | 5W, SMD2835, 500LM      |
| CCT.            | 3000/4000/6000K         |
| Charge time     | 5-8H                    |
| Lighting mode   | Constant                |
| Water proof     | IP65                    |
| Material        | Die-casting aluminum+PC |
| Size            | Φ260*H350/650/850mm     |






## SOLAR LAWN LIGHT MLS-004




**MLS-004/70**

**MLS-004/45**



| MODEL           | MLS-004                 |
|-----------------|-------------------------|
| Solar panel     | 4.5W/5V, MONO           |
| LiFePO4 battery | 8AH/3.2V                |
| LED light       | 5W, SMD2835, 500LM      |
| CCT.            | 3000/4000/6000K         |
| Charge time     | 5-8H                    |
| Lighting mode   | Constant                |
| Water proof     | IP65                    |
| Material        | Die-casting aluminum+PC |
| Size            | Φ260*H450/750mm         |







## SOLAR LAWN LIGHT MLS-005




**MLS-005/100**




**MLS-005/75**




**MLS-005/50**



| MODEL           | MLS-005                 |
|-----------------|-------------------------|
| Solar panel     | 4.5W/5V, MONO           |
| LiFePO4 battery | 8AH/3.2V                |
| LED light       | 5W, SMD2835, 500LM      |
| CCT.            | 3000/4000/6000K         |
| Charge time     | 5-8H                    |
| Lighting mode   | Constant                |
| Water proof     | IP65                    |
| Material        | Die-casting aluminum+PC |
| Size            | Φ260*H500/750/1000mm    |







## SOLAR LAWN LIGHT MLS-006




**MLS-006/100**

**MLS-006/68**

**MLS-006/38**

| MODEL           | MLS-006                 |
|-----------------|-------------------------|
| Solar panel     | 4.5W/5V, MONO           |
| LiFePO4 battery | 8AH/3.2V                |
| LED light       | 5W, SMD2835, 500LM      |
| CCT.            | 3000/4000/6000K         |
| Charge time     | 5-8H                    |
| Lighting mode   | Constant                |
| Water proof     | IP65                    |
| Material        | Die-casting aluminum+PC |
| Size            | Φ240*H380/680/1000mm    |







SOLAR LAWN LIGHT  
MLS-007






MLS-007/100




MLS-007/75



MLS-007/50



| MODEL           | MLS-007                 |
|-----------------|-------------------------|
| Solar panel     | 4.5W/5V,MONO            |
| LiFePO4 battery | 8AH/3.2V                |
| LED light       | 3W,SMD2835,500LM        |
| CCT.            | 3000/4000/6000K         |
| Charge time     | 5-8H                    |
| Lighting mode   | Constant                |
| Water proof     | IP65                    |
| Material        | Die-casting aluminum+PC |
| Size            | Φ260*H500/750/1000mm    |





New



MLS-008/80

MLS-008/100




MLS-008/40

MLS-008/60

## SOLAR LAWN LIGHT MLS-008



| MODEL           | MLS-008                  |
|-----------------|--------------------------|
| Solar panel     | 5W/5V, MONO              |
| LiFePO4 battery | 7AH/3.2V                 |
| LED light       | 5W, SMD2835, 500LM       |
| CCT.            | 3000/4000/6000K          |
| Charge time     | 5-8H                     |
| Lighting mode   | Constant                 |
| Water proof     | IP65                     |
| Material        | Die-casting aluminum+PC  |
| Size            | Φ260*H400/600/800/1000mm |








SOLAR LAWN LIGHT  
MLS-009

New


MLS-009/60

MLS-009/80

MLS-009/100



| MODEL           | MLS-009                 |
|-----------------|-------------------------|
| Solar panel     | 4.5W/5V, MONO           |
| LiFePO4 battery | 6AH/3.2V                |
| LED light       | 5W, SMD2835, 500LM      |
| CCT.            | 3000/4000/6000K         |
| Charge time     | 5-8H                    |
| Lighting mode   | Constant                |
| Water proof     | IP65                    |
| Material        | Die-casting aluminum+PC |
| Size            | Φ257*H600/800/1000mm    |





## SOLAR LAWN LIGHT MLS-010



**MLS-010/100**




**MLS-010/80**



**MLS-010/60**



| MODEL           | MLS-010                 |
|-----------------|-------------------------|
| Solar panel     | 5W/5V, MONO             |
| LiFePO4 battery | 8AH/3.2V                |
| LED light       | 5W, SMD2835, 500LM      |
| CCT.            | 3000/4000/6000K         |
| Charge time     | 5-8H                    |
| Lighting mode   | Constant                |
| Water proof     | IP65                    |
| Material        | Die-casting aluminum+PC |
| Size            | 235*235*H600/800/1000mm |







## SOLAR LAWN LIGHT MLS-011



**MLS-011/60**

**MLS-011/80**


**MLS-011/100**



### MODEL

### MLS-011

|                 |                          |
|-----------------|--------------------------|
| Solar panel     | 5W/5V, MONO              |
| LiFePO4 battery | 8AH/3.2V                 |
| LED light       | 5W, SMD2835, 500LM       |
| CCT.            | 3000/4000/6000K          |
| Charge time     | 5-8H                     |
| Lighting mode   | Constant / Motion Sensor |
| Water proof     | IP65                     |
| Material        | Die-casting aluminum+PC  |
| Size            | 150*235*H600/800/1000mm  |







SOLAR LAWN LIGHT  
MLS01,MLS02,MLS03



MLS01-40/70



MLS02-30/60



MLS03-30/60



| MODEL           | MLS01              | MLS02 | MLS03 |
|-----------------|--------------------|-------|-------|
| Solar panel     | 3W/5V,MONO         |       |       |
| LiFePO4 battery | 2400mAh/3.7V       |       |       |
| LED light       | 2W, 200LM          |       |       |
| CCT.            | 3000K              |       |       |
| Charge time     | 5-8H               |       |       |
| Lighting mode   | Constant           |       |       |
| Water proof     | IP65               |       |       |
| Material        | ABS                |       |       |
| Size            | 147*147*H300-700mm |       |       |








# SOLAR SPIKE LIGHT MLS-001



**MLS-001**



| MODEL           | MLS-001            |
|-----------------|--------------------|
| Solar panel     | 2W/5V, MONO        |
| LiFePO4 battery | 3000mAh/3.2V       |
| LED light       | 3W, SMD2835, 300LM |
| CCT.            | 3000/4000/6000K    |
| Charge time     | 5-8H               |
| Lighting mode   | Constant           |
| Water proof     | IP65               |
| Material        | ABS+PC             |
| Size            | Φ160*H700mm        |




# SOLAR PATHWAY LIGHT MLS-002/003/004



| MODEL           | MLS-002                 | MLS-003 | MLS-004 |
|-----------------|-------------------------|---------|---------|
| Solar panel     | 2W/5V,MONO              |         |         |
| LiFePO4 battery | 3000mAh/3.2V            |         |         |
| LED light       | 3W,SMD2835,300LM        |         |         |
| CCT.            | 3000/4000/6000K         |         |         |
| Charge time     | 5-8H                    |         |         |
| Lighting mode   | Constant                |         |         |
| Water proof     | IP65                    |         |         |
| Material        | Die-casting aluminum+PC |         |         |
| Size            | Φ185*H700mm             |         |         |








SOLAR POST LIGHT  
**MLS-005/160**  
**MLS-005/200**




With Pole

**MLS-005/160**

**MLS-005/200**



| MODEL           | MLS-005/160                                                                  | MLS-005/200     |
|-----------------|------------------------------------------------------------------------------|-----------------|
| Solar panel     | 4.5W/5V, MONO                                                                |                 |
| LiFePO4 battery | 8AH/3.2V                                                                     |                 |
| LED light       | 5W, SMD2835, 500LM                                                           |                 |
| CCT.            | 3000/4000/6000K                                                              |                 |
| Charge time     | 5-8H                                                                         |                 |
| Lighting mode   | Constant                                                                     |                 |
| Water proof     | IP65                                                                         |                 |
| Material        | LAMP: Die-casting aluminum+PC,<br>POLE: 1.8mm thickness Die-casting aluminum |                 |
| Size            | 260*260*H1600mm                                                              | 260*260*H2000mm |





## SOLAR POST LIGHT

### MLS-006/160

### MLS-006/200




**MLS-006/160**




**MLS-006/200**

With Pole



| MODEL           | MLS-006/160                                                                  | MLS-006/200     |
|-----------------|------------------------------------------------------------------------------|-----------------|
| Solar panel     | 4.5W/5V, MONO                                                                |                 |
| LiFePO4 battery | 8AH/3.2V                                                                     |                 |
| LED light       | 5W, SMD2835, 500LM                                                           |                 |
| CCT.            | 3000/4000/6000K                                                              |                 |
| Charge time     | 5-8H                                                                         |                 |
| Lighting mode   | Constant                                                                     |                 |
| Water proof     | IP65                                                                         |                 |
| Material        | LAMP: Die-casting aluminum+PC,<br>POLE: 1.8mm thickness Die-casting aluminum |                 |
| Size            | 260*260*H1600mm                                                              | 260*260*H2000mm |







SOLAR POST LIGHT  
MLS-100

New

With Pole



| MODEL           | MLS-100/100                                                               | MLS-100/210     | MLS-100/260     |
|-----------------|---------------------------------------------------------------------------|-----------------|-----------------|
| Solar panel     | 10W/5V, MONO                                                              |                 |                 |
| LiFePO4 battery | 12AH/3.2V                                                                 |                 |                 |
| LED light       | 10W, SMD2835, 1000LM                                                      |                 |                 |
| CCT.            | 3000/4000/6000K                                                           |                 |                 |
| Charge time     | 5-8H                                                                      |                 |                 |
| Lighting mode   | Constant                                                                  |                 |                 |
| Water proof     | IP65                                                                      |                 |                 |
| Material        | LAMP: Die-casting aluminum+PC, POLE: 1.8mm thickness Die-casting aluminum |                 |                 |
| Size            | 300*300*H1000mm                                                           | 300*300*H2100mm | 300*300*H2600mm |



SOLAR POST LIGHT  
**MLS-005/260-2**  
**MLS-005/260-3**





**MLS-005/260-2**




**MLS-005/260-3**

With Pole




| MODEL           | MLS-005/260-2                                                                | MLS-005/260-3       |
|-----------------|------------------------------------------------------------------------------|---------------------|
| Solar panel     | 4.5W/5V*2,MONO                                                               | 4.5W/5V*3,MONO      |
| LiFePO4 battery | 8AH/3.2V*2                                                                   | 8AH/3.2V*3          |
| LED light       | 5W*2,SMD2835,1000LM                                                          | 5W*3,SMD2835,1500LM |
| CCT.            | 3000/4000/6000K                                                              |                     |
| Charge time     | 5-8H                                                                         |                     |
| Lighting mode   | Constant                                                                     |                     |
| Water proof     | IP65                                                                         |                     |
| Material        | LAMP: Die-casting aluminum+PC,<br>POLE: 1.8mm thickness Die-casting aluminum |                     |
| Size            | Φ800*H2600mm                                                                 | Φ750*H2600mm        |







SOLAR POST LIGHT  
**MLS-006/260-2**  
**MLS-006/260-3**




With Pole

**MLS-006/260-2**

**MLS-006/260-3**

| MODEL           | MLS-006/260-2                                                                | MLS-006/260-3       |
|-----------------|------------------------------------------------------------------------------|---------------------|
| Solar panel     | 4.5W/5V*2,MONO                                                               | 4.5W/5V*3,MONO      |
| LiFePO4 battery | 8AH/3.2V*2                                                                   | 8AH/3.2V*3          |
| LED light       | 5W*2,SMD2835,1000LM                                                          | 5W*3,SMD2835,1500LM |
| CCT.            | 3000/4000/6000K                                                              |                     |
| Charge time     | 5-8H                                                                         |                     |
| Lighting mode   | Constant                                                                     |                     |
| Water proof     | IP65                                                                         |                     |
| Material        | LAMP: Die-casting aluminum+PC,<br>POLE: 1.8mm thickness Die-casting aluminum |                     |
| Size            | Φ800*H2600mm                                                                 | Φ750*H2600mm        |






SOLAR POST LIGHT  
**MLS-007/260-2**  
**MLS-007/260-3**




**MLS-007/260-2**

**MLS-007/260-3**



With Pole



| MODEL           | MLS-007/260-2                                                                | MLS-007/260-3       |
|-----------------|------------------------------------------------------------------------------|---------------------|
| Solar panel     | 4.5W/5V*2,MONO                                                               | 4.5W/5V*3,MONO      |
| LiFePO4 battery | 8AH/3.2V*2                                                                   | 8AH/3.2V*3          |
| LED light       | 5W*2,SMD2835,1000LM                                                          | 5W*3,SMD2835,1500LM |
| CCT.            | 3000/4000/6000K                                                              |                     |
| Charge time     | 5-8H                                                                         |                     |
| Lighting mode   | Constant                                                                     |                     |
| Water proof     | IP65                                                                         |                     |
| Material        | LAMP: Die-casting aluminum+PC,<br>POLE: 1.8mm thickness Die-casting aluminum |                     |
| Size            | Φ800*H2600mm                                                                 | Φ750*H2600mm        |









## SOLAR PILLAR LIGHT MLS-002



| MODEL           | MLS-002                 |
|-----------------|-------------------------|
| Solar panel     | 4.5W/5V, MONO           |
| LiFePO4 battery | 8AH/3.2V                |
| LED light       | 5W, SMD2835, 500LM      |
| CCT,            | 3000/4000/6000K         |
| Charge time     | 5-8H                    |
| Lighting mode   | Constant                |
| Water proof     | IP65                    |
| Material        | Die-casting aluminum+PC |
| Size            | Φ260*H250mm             |



## SOLAR PILLAR LIGHT MLS-003





| MODEL           | MLS-003                 |
|-----------------|-------------------------|
| Solar panel     | 4.5W/5V, MONO           |
| LiFePO4 battery | 8AH/3.2V                |
| LED light       | 5W, SMD2835, 500LM      |
| CCT.            | 3000/4000/6000K         |
| Charge time     | 5-8H                    |
| Lighting mode   | Constant                |
| Water proof     | IP65                    |
| Material        | Die-casting aluminum+PC |
| Size            | Φ260*H250mm             |






## SOLAR PILLAR LIGHT MLS-004



| MODEL           | MLS-004                 |
|-----------------|-------------------------|
| Solar panel     | 4.5W/5V, MONO           |
| LiFePO4 battery | 8AH/3.2V                |
| LED light       | 5W, SMD2835, 500LM      |
| CCT.            | 3000/4000/6000K         |
| Charge time     | 5-8H                    |
| Lighting mode   | Constant                |
| Water proof     | IP65                    |
| Material        | Die-casting aluminum+PC |
| Size            | Φ260*H280mm             |



## SOLAR PILLAR LIGHT MLS-005




| MODEL           | MLS-005                 |
|-----------------|-------------------------|
| Solar panel     | 4.5W/5V, MONO           |
| LiFePO4 battery | 8AH/3.2V                |
| LED light       | 5W, SMD2835, 500LM      |
| CCT.            | 3000/4000/6000K         |
| Charge time     | 5-8H                    |
| Lighting mode   | Constant                |
| Water proof     | IP65                    |
| Material        | Die-casting aluminum+PC |
| Size            | Φ260*H300mm             |










## SOLAR PILLAR LIGHT MLS-006



| MODEL           | MLS-006                 |
|-----------------|-------------------------|
| Solar panel     | 4.5W/5V, MONO           |
| LiFePO4 battery | 8AH/3.2V                |
| LED light       | 5W, SMD2835, 500LM      |
| CCT.            | 3000/4000/6000K         |
| Charge time     | 5-8H                    |
| Lighting mode   | Constant                |
| Water proof     | IP65                    |
| Material        | Die-casting aluminum+PC |
| Size            | Φ240*H370mm             |




# SOLAR PILLAR LIGHT MLS-007




| MODEL           | MLS-007                 |
|-----------------|-------------------------|
| Solar panel     | 4.5W/5V, MONO           |
| LiFePO4 battery | 8AH/3.2V                |
| LED light       | 5W, SMD2835, 500LM      |
| CCT.            | 3000/4000/6000K         |
| Charge time     | 5-8H                    |
| Lighting mode   | Constant                |
| Water proof     | IP65                    |
| Material        | Die-casting aluminum+PC |
| Size            | Φ260*H300mm             |







SOLAR PILLAR LIGHT  
**MLS-010**



| MODEL           | MLS-010                 |
|-----------------|-------------------------|
| Solar panel     | 5W/5V, MONO             |
| LiFePO4 battery | 8AH/3.2V                |
| LED light       | 5W, SMD2835, 500LM      |
| CCT.            | 3000/4000/6000K         |
| Charge time     | 5-8H                    |
| Lighting mode   | Constant                |
| Water proof     | IP65                    |
| Material        | Die-casting aluminum+PC |
| Size            | 235*235*H275mm          |




LARGE SIZE




**MLS-100**


## SOLAR PILLAR LIGHT MLS-100




| MODEL           | MLS-100                 |
|-----------------|-------------------------|
| Solar panel     | 10W/5V, MONO            |
| LiFePO4 battery | 12AH/3.2V               |
| LED light       | 10W, SMD2835, 1000LM    |
| CCT.            | 3000/4000/6000K         |
| Charge time     | 5-8H                    |
| Lighting mode   | Constant                |
| Water proof     | IP65                    |
| Material        | Die-casting aluminum+PC |
| Size            | Φ200*H340mm             |








## SOLAR WALL LIGHT MLS-001




| MODEL           | MLS-001                 |
|-----------------|-------------------------|
| Solar panel     | 4.5W/5V, MONO           |
| LiFePO4 battery | 8AH/3.2V                |
| LED light       | 5W, SMD2835, 500LM      |
| CCT.            | 3000/4000/6000K         |
| Charge time     | 5-8H                    |
| Lighting mode   | Constant                |
| Water proof     | IP65                    |
| Material        | Die-casting aluminum+PC |
| Size            | Φ230*H275mm             |



SOLAR WALL LIGHT  
**MLS-001B**



| MODEL           | MLS-001B                |
|-----------------|-------------------------|
| Solar panel     | 5W/5V, MONO             |
| LiFePO4 battery | 6AH/3.2V                |
| LED light       | 5W, SMD2835, 500LM      |
| CCT.            | 3000 & 6000K Both       |
| Charge time     | 5-8H                    |
| Lighting mode   | Constant                |
| Water proof     | IP65                    |
| Material        | Die-casting aluminum+PC |
| Size            | 200*200*H240mm          |








SOLAR WALL LIGHT  
**MLS-002**




| MODEL           | MLS-002                 |
|-----------------|-------------------------|
| Solar panel     | 4.5W/5V,MONO            |
| LiFePO4 battery | 8AH/3.2V                |
| LED light       | 5W,SMD2835.500LM        |
| CCT.            | 3000/4000/6000K         |
| Charge time     | 5-8H                    |
| Lighting mode   | Constant                |
| Water proof     | IP65                    |
| Material        | Die-casting aluminum+PC |
| Size            | Φ260*H310mm             |






## SOLAR WALL LIGHT MLS-003




| MODEL           | MLS-003                 |
|-----------------|-------------------------|
| Solar panel     | 4.5W/5V, MONO           |
| LiFePO4 battery | 8AH/3.2V                |
| LED light       | 5W, SMD2835, 500LM      |
| CCT.            | 3000/4000/6000K         |
| Charge time     | 5-8H                    |
| Lighting mode   | Constant                |
| Water proof     | IP65                    |
| Material        | Die-casting aluminum+PC |
| Size            | Φ260*H300mm             |








## SOLAR WALL LIGHT MLS-004




| MODEL           | MLS-004                 |
|-----------------|-------------------------|
| Solar panel     | 4.5W/5V, MONO           |
| LiFePO4 battery | 8AH/3.2V                |
| LED light       | 5W, SMD2835, 500LM      |
| CCT.            | 3000/4000/6000K         |
| Charge time     | 5-8H                    |
| Lighting mode   | Constant                |
| Water proof     | IP65                    |
| Material        | Die-casting aluminum+PC |
| Size            | Φ260*H330mm             |






# SOLAR WALL LIGHT MLS-005



| MODEL           | MLS-005                 |
|-----------------|-------------------------|
| Solar panel     | 4.5W/5V, MONO           |
| LiFePO4 battery | 8AH/3.2V                |
| LED light       | 5W, SMD2835, 500LM      |
| CCT.            | 3000/4000/6000K         |
| Charge time     | 5-8H                    |
| Lighting mode   | Constant                |
| Water proof     | IP65                    |
| Material        | Die-casting aluminum+PC |
| Size            | Φ260*H370mm             |








## SOLAR WALL LIGHT MLS-006



| MODEL           | MLS-006                 |
|-----------------|-------------------------|
| Solar panel     | 4.5W/5V, MONO           |
| LiFePO4 battery | 8AH/3.2V                |
| LED light       | 5W, SMD2835, 500LM      |
| CCT.            | 3000/4000/6000K         |
| Charge time     | 5-8H                    |
| Lighting mode   | Constant                |
| Water proof     | IP65                    |
| Material        | Die-casting aluminum+PC |
| Size            | Φ240*H320mm             |







SOLAR WALL LIGHT  
**MLS-006-B**



**MLS-006-B**





| MODEL           | MLS-006-B               |
|-----------------|-------------------------|
| Solar panel     | 4.5W/5V, MONO           |
| LiFePO4 battery | 8AH/3.2V                |
| LED light       | 5W, SMD2835, 500LM      |
| CCT.            | 3000/4000/6000K         |
| Charge time     | 5-8H                    |
| Lighting mode   | Constant                |
| Water proof     | IP65                    |
| Material        | Die-casting aluminum+PC |
| Size            | Φ240*H450mm             |







# SOLAR WALL LIGHT MLS-007




| MODEL           | MLS-007                 |
|-----------------|-------------------------|
| Solar panel     | 4.5W/5V, MONO           |
| LiFePO4 battery | 8AH/3.2V                |
| LED light       | 5W, SMD2835, 500LM      |
| CCT.            | 3000/4000/6000K         |
| Charge time     | 5-8H                    |
| Lighting mode   | Constant                |
| Water proof     | IP65                    |
| Material        | Die-casting aluminum+PC |
| Size            | Φ260*H300mm             |




SOLAR WALL LIGHT  
MLS-009

New



| MODEL           | MLS-009                 |
|-----------------|-------------------------|
| Solar panel     | 4.5W/5V, MONO           |
| LiFePO4 battery | 6AH/3.2V                |
| LED light       | 5W, SMD2835, 500LM      |
| CCT.            | 3000/4000/6000K         |
| Charge time     | 5-8H                    |
| Lighting mode   | Constant                |
| Water proof     | IP65                    |
| Material        | Die-casting aluminum+PC |
| Size            | Φ257*H80mm              |








SOLAR WALL LIGHT  
**MLS-011**



| MODEL           | MLS-011                  |
|-----------------|--------------------------|
| Solar panel     | 5W/5V,MONO               |
| LiFePO4 battery | 8AH/3.2V                 |
| LED light       | 5W,SMD2835. 500LM        |
| CCT.            | 3000/4000/6000K          |
| Charge time     | 5-8H                     |
| Lighting mode   | Constant / Motion Sensor |
| Water proof     | IP65                     |
| Material        | Die-casting aluminum+PC  |
| Size            | 150*235*130mm            |



# Weather Resistance

Durable Use for Years



Waterproof



Snowproof



Sunproof



Windproof



## Product Dimensions



Solar Panel



Motion Sensor



Bulb Included



| Model            | MLS-BD01                               |
|------------------|----------------------------------------|
| Solar panel      | MONO, 2.5W                             |
| LED bead         | 2.5W/3V ST64 LED Bulb (E26 socket)     |
| Lithium battery  | 3.7V/2000MAH (7.4WH)                   |
| Lighting mode    | Constant /Dim to bright/ Off to bright |
| Color temp.      | 3000K                                  |
| Sensing distance | 5-7 meters / 120 Degree                |
| Material         | Aluminum + ABS                         |
| Water proof      | IP65                                   |
| Charge time      | 6-8H                                   |
| Product size     | L135*W141*H255mm                       |

